

MAPEGLITTER

Metallic coloured glitter for internal grouts and wall coatings



WHERE TO USE

MapeGlitter adds a further level of customization to the standard colours offered within the **Kerapoxy Easy Design** and **Flexcolor** grout ranges. **MapeGlitter** may also be added to **Mapelux Lucida** to create a sparkling finish on internal walls.

TECHNICAL CHARACTERISTICS

Metallic coloured glitter based on polyester, aluminium, and epoxy resin.

RECOMMENDATIONS

Never use more than the recommended dose of **MapeGlitter** so that the workability of the product that it has been mixed with is not affected.

Do not use **MapeGlitter** in areas of constant immersion such as swimming pools and for external applications. When mixed with **Kerapoxy Easy Design** or **Flexcolor** do not use with tiles and mosaics that have either a soft glaze or high gloss finish as they may become scratched.

HOW TO USE

Mixed with Kerapoxy Easy Design

Add **MapeGlitter**, at a variable ratio depending on the aesthetic effect desired (1 - 2 sachets per 3 kg of grout), to the drum of **Kerapoxy Easy Design** after mixing the two components of **Kerapoxy Easy Design** (A+B). Create a hole in the mix obtained and pour **MapeGlitter** in it; cover it and manually mix with a trowel to initially blend in the glitter. Then mix with a low-speed mixer until an even blend is obtained. Apply the **Kerapoxy Easy Design/MapeGlitter** blend within 45 minutes of mixing.

Mixed with Flexcolor

Decant **Flexcolor** into a clean mixing vessel, add 2-3 sachets of **MapeGlitter** and mix until an even blend is obtained.

Mixed with Mapelux Lucida

Add **MapeGlitter** directly to **Mapelux Lucida** wax (mixed with approximately 5% of water), according to the effect and finish required. Mix until an even blend is obtained.

CONSUMPTION

The consumption of **MapeGlitter** varies according to the effect and finish required. 1-2 sachets when mixed with a 3kg unit of **Kerapoxy Easy Design**. 2-3 sachets when mixed with a 5kg unit of **Flexcolor**. At rates of 1% to 3% by weight when mixed with **Mapelux Lucida**, according to the finish and tone required, to obtain the desired sparkly finish.

PACKAGING

MapeGlitter is supplied in 100 g sachets.

STORAGE

Store in a covered, dry area.

COLOURS

MapeGlitter is available in silver, light gold, purple, pastel violet, pink, violet, fuchsia, red, copper, black, brown, bronze, sand, medium blue, pastel green, green, bottle green, burnished, pastel sky, sky, royal blue, dark blue and night blue.

SAFETY INSTRUCTIONS FOR PREPARATION AND APPLICATION

MapeGlitter is an article and referring to the current European regulations (Reg. 1906/2007/EC - REACH) does not require the preparation of the Safety Data Sheet. During use it is recommended to wear gloves and goggles and follow the safety requirements of the workplace.

PRODUCT FOR PROFESSIONAL USE.



Finished Kerapoxy Easy Design 100 + MapeGlitter Gold



Finishing off Silancolor Tonachino with Mapelux Lucida and MapeGlitter Silver

N.B.

Whilst we try to ensure that any advice, recommendations or information given in our literature is accurate and correct, we have no control over the circumstances in which our product is used. It is therefore important that the end users satisfy themselves that the product and conditions are suitable for the envisaged application.

No warranty can be given or responsibility accepted other than, that the product supplied by us will meet our written specification.

End users should ensure that our latest product data and safety information sheets have been consulted prior to use.

Please refer to the current version of the Technical Data Sheet, available from our website www.mapei.co.uk

LEGAL NOTICE

The contents of this Technical Data Sheet (“TDS”) may be copied into another project-related document, but the resulting document shall not supplement or replace requirements per the TDS in force at the time of the MAPEI product installation.

The most up-to-date TDS can be downloaded from our website www.mapei.co.uk.

ANY ALTERATION TO THE WORDING OR REQUIREMENTS CONTAINED OR DERIVED FROM THIS TDS EXCLUDES THE RESPONSIBILITY OF MAPEI

159-4-2023 (UK)

Any reproduction of texts, photos and illustrations published here is prohibited and subject to prosecution

