# Safety Data Sheet ULTRACARE ANTI-MOULD PROTECTOR

Safety Data Sheet dated: 10/06/2022 - version 1



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Mixture identification:

Trade name: ULTRACARE ANTI-MOULD PROTECTOR

Trade code: 9011494

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cleaner

Uses advised against: Data not available

#### 1.3. Details of the supplier of the safety data sheet

Company: MAPEI U.K. Ltd - Mapei House Steel Park Road

Halesowen - West Midlands B62 8HD

phone: +44(0)121 508 6970 - fax: +44(0)121 5086 960 - www.mapei.co.uk (office hour 8:30-17:30)

Responsible: sicurezza@mapei.it

1.4. Emergency telephone number

call NHS 111 or a doctor/OHES Environmental Ltd +44(0)333 333 9962

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) n. 1272/2008 (CLP)

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

# 2.2. Label elements

#### **Hazard statements:**

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements:**

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with applicable regulations.

# Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >=0.1%.

Other Hazards: No other hazards

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not Relevant

# 3.2. Mixtures

Mixture identification: ULTRACARE ANTI-MOULD PROTECTOR

## Hazardous components within the meaning of the CLP regulation and related classification:

Concentra tion (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥0.49 - <1 %	Didecyldimethylammonium chloride	CAS:7173-51-5 EC:230-525-2 Index:612-131- 00-6	Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 2, H411, M-Acute:10	
≥0.25 - <0.49 %	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS:2372-82-9 EC:219-145-8	Acute Tox. 3, H301; Skin Corr. 1B, H314; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, M-Acute:10	01-2119980592-29-XXXX

Print date 20/10/2022 Production Name ULTRACARE ANTI-MOULD PROTECTOR Page n. 1 of 10

alcohols, C12-14, ethoxylated CAS:68439-50-9 Acute Tox. 4, H302; Eye Dam. 1,

EC:500-213-3 H318; Aquatic Acute 1, H400;

Aquatic Chronic 3, H412

≥0.01 - hydrochloric acid ... % CAS:7647-01-0 Met. Corr. 1, H290 Eye Dam. 1, 01-2119484862-27-xxxx <0.016 % EC:231-595-7 H318 STOT SE 3, H335 Skin Corr.

Index:017-002- 1A, H314

01-X

Specific Concentration Limits:  $C \ge 25\%$ : Skin Corr. 1B H314  $10\% \le C < 25\%$ : Skin Irrit. 2 H315

10% ≤ C < 25%: Eye Irrit. 2 H319

C ≥ 10%: STOT SE 3 H335

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

In case of skin contact:

≥0.25 -

<0.49 %

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

Not available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Not available

(see paragraph 4.1)

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

## 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

## 5.3. Advice for firefighters

Use suitable breathing apparatus.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

# 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

## 6.4. Reference to other sections

See also section 8 and 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

2 of 10

Print date 20/10/2022 Production Name ULTRACARE ANTI-MOULD PROTECTOR Page n.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# vi+h ∩EI

List of components with OEL value									
	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
N-(3-aminopropyl)-N- dodecylpropane-1,3- diamine CAS: 2372-82-9	DFG	GERMANY	С			0.4			
	Nationa	I GERMANY		0.05					
	CHE	SWITZERLAND				0.4			
	Nationa	I SLOVENIA		0.05		0.4			
hydrochloric acid % CAS: 7647-01-0	DFG	GERMANY	С			6	4		
	ACGIH								A4 - Not Classifiable as a Human Carcinogen;upper respiratory tract irritation
	ACGIH		С				2		
	Nationa	I SWEDEN		3	2				
	Nationa	I FRANCE				7.6	5		
	Nationa	I SPAIN		7.6	5	15	10		
	Nationa	I GREECE		7	5	7	5		
	Nationa	I DENMARK	С			8	5		
	Nationa	I FINLAND				7.6	5		
		I GERMANY		3	2				
		I PORTUGAL		8	5	15	10		
		I NORWAY	С			7	5		
		I BELGIUM		8	5	15	10		
	NDS	POLAND		5					
		POLAND				10			
	CHE	SWITZERLAND		_		6	4		
	NDS	NETHERLANDS		8		15			
	Nationa	I CZECH REPUBLIC		8					
	Nationa	I HUNGARY		8		16			
	Malaysi a OEL	MALAYSIA	С			7.5	5		
	Nationa	I PORTUGAL	С				2		
	Nationa	I ESTONIA		8	5	15	10		
	Nationa	I LATVIA		8	5	15	10		
	Nationa	I CZECH	С			15			

Print date

**REPUBLIC** 

National SLOVAKIA	С			15		
National SLOVAKIA		8.0	5			
National SLOVENIA		8	5	16	10	
National UNITED KINGDOM		2	1	8	5	
National BULGARIA		8.0	5	15.0	10	
National ROMANIA		8	5	15	10	
TUR TURKEY		8	5	15	10	
National LITHUANIA		8	5	15	10	
National CROATIA		8	5	15	10	
EU		8	5	15	10	Indicative

# **Predicted No Effect Concentration (PNEC) values**

	PNEC Limit	Exposure Route	<b>Exposure Frequency Remark</b>
ninopropyl)-N- propane-1,3-	0.001 mg/l	Fresh Water	

N-(3-ami dodecylpi

diamine

CAS: 2372-82-9

0.0001 Marine water mg/l 0.85 mg/kg Marine water sediments 8.5 mg/kg Freshwater sediments 0.036 mg/l Fresh Water

hydrochloric acid ... % CAS: 7647-01-0

> 0.036 mg/l Marine water 0.045 mg/l Intermittent release

0.036 Soil mg/kg

# **Derived No Effect Level. (DNEL)**

	Worker Worker Industr Profess y ional		Exposure Route	Exposure Frequency Remark
N-(3-aminopropyl)-N- dodecylpropane-1,3- diamine CAS: 2372-82-9	2.35 mg/m3	0.7 mg/m3	Human Inhalation	Long Term, systemic effects
	0.91 mg/kg	0.54 mg/kg	Human Dermal	Long Term, systemic effects
		0.2 mg/kg	Human Oral	Long Term, systemic effects
hydrochloric acid % CAS: 7647-01-0	15 mg/m3		Human Inhalation	Short Term, local effects
	8 mg/m3		Human Inhalation	Long Term, local effects

# 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

#### Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles). correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Appearance: liquid Color: Not available Odour: Not available

Melting point / freezing point: Not available

Initial boiling point and boiling range: 100 °C (212 °F)

Flammability: N.A.

Upper/lower flammability or explosive limits: Not available

Flash point: Not available

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: 9.00

Viscosity: 15.00 mPA-s

Kinematic viscosity: Not available Solubility in water: soluble, immiscible

Solubility in oil: insoluble

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available Relative density: 1.00 g/cm3 Vapour density: Not available **Particle characteristics:** 

Particle size: Not available

# 9.2. Other information

Miscibility: Not available Conductivity: Not available No other relevant information

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions

# 10.2. Chemical stability

Stable under normal conditions

# 10.3. Possibility of hazardous reactions

None.

# 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials

None in particular.

## 10.6. Hazardous decomposition products

None.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the mixture:

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Print date 20/10/2022 **Production Name** 

**ULTRACARE ANTI-MOULD PROTECTOR** 

Page n.

b) skin corrosion/irritation Not classified Based on available data, the classification criteria are not met c) serious eye damage/irritation Not classified Based on available data, the classification criteria are not met d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met Not classified i) STOT-repeated exposure Based on available data, the classification criteria are not met j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

Didecyldimethylammoniu a) acute toxicity m chloride

N-(3-aminopropyl)-N- a) acute toxicity LD50 Oral Rat = 261 mg/kg

dodecylpropane-1,3-diamine

LD50 Oral Rat = 261 mg/kg

LD50 Oral Rat 50 mg/kg

LD50 Oral Rat 50 mg/kg

# 11.2 Information on other hazards

# **Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration >= 0.1%

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

# List of components with eco-toxicological properties

List of components with eco-toxicological properties				
Component	Ident. Numb.	Ecotox Infos		
Didecyldimethylammonium chloride	CAS: 7173-51-5 - EINECS: 230- 525-2 - INDEX: 612-131-00-6	a) Aquatic acute toxicity: LC50 Fish Danio rerio = 0.97 mg/L 96h ECHA		
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS: 2372-82-9 - EINECS: 219- 145-8	a) Aquatic acute toxicity: LC50 Fish > 0.1 mg/L		
		a) Aquatic acute toxicity: EC50 Daphnia > 0.01 mg/L		
		a) Aquatic acute toxicity: EC50 Algae > 0.01 mg/L		
		b) Aquatic chronic toxicity: NOEC Daphnia > 0.01 mg/L		
		a) Aquatic acute toxicity : LC50 Fish Danio rerio = $0.431 \text{ mg/L}$ 96h ECHA		
hydrochloric acid %	CAS: 7647-01-0	a) Aquatic acute toxicity: LC50 Fish = 20.5 mg/L 24h		

6 of

Print date 20/10/2022 Production Name ULTRACARE ANTI-MOULD PROTECTOR Page n.

- EINECS: 231-

a) Aquatic acute toxicity: EC50 Daphnia = 0.45 mg/L 48h

a) Aquatic acute toxicity: EC50 Algae = 0.73 mg/L 72h

# 12.2. Persistence and degradability

# 12.3. Bioaccumulative potential

NΑ

#### 12.4. Mobility in soil

NΔ

#### 12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%.

## 12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

#### 12.7 Other adverse effects

Not available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# **SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

## 14.1. UN number or ID number

Not Applicable

## 14.2. UN proper shipping name

Not Applicable

# 14.3. Transport hazard class(es)

Not Applicable

#### 14.4. Packing group

Not Applicable

# 14.5. Environmental hazards

Not Applicable

# 14.6. Special precautions for user

Not Applicable

Road and Rail (ADR-RID):

Not Applicable

Air ( IATA ):

Not Applicable

Sea (IMDG):

Not Applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

None

# Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 40, 75

# **SVHC Substances:**

SVHC substances not present in a concentration  $\geq$  0.1% (w/w)

## German Water Hazard Class (WGK)

Class 1: slightly hazardous for water.

# Regulation (EC) nr 648/2004 (Detergents)

# **Product contents:**

Category: Qty: anionic surfactants < 5% EDTA and salts thereof < 5% cationic surfactants < 5%

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## **SECTION 16: Other information**

Code	Description
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

	, .				
H410	Very toxic to aquatic life with long lasting effects.				
H411	Toxic to aquatic life with long lasting effects.				
H412	Harmful to aquatic life with long lasting effects.				
Code	Hazard class and hazard category	Description			
2.16/1	Met. Corr. 1	Substance or mixture corrosive to metals, Category 1			
3.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3			
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4			
3.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A			
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B			
3.2/2	Skin Irrit. 2	Skin irritation, Category 2			
3.3/1	Eye Dam. 1	Serious eye damage, Category 1			
3.3/2	Eye Irrit. 2	Eye irritation, Category 2			
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3			

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

# Classification according to Regulation Classification procedure (EC) Nr. 1272/2008

4.1/C3 Calculation method

Very toxic to aquatic life.

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

Acute aquatic hazard, category 1

Chronic (long term) aquatic hazard, category 1

Chronic (long term) aquatic hazard, category 2

Chronic (long term) aquatic hazard, category 3

Specific target organ toxicity — repeated exposure, Category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

H400

3.9/2

4.1/A1

4.1/C1

4.1/C2

4.1/C3

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

STOT RE 2

Aquatic Acute 1

Aquatic Chronic 1

Aquatic Chronic 2

Aquatic Chronic 3

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

**BOD: Biochemical Oxygen Demand** 

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

Print date 20/10/2022 Production Name ULTRACARE ANTI-MOULD PROTECTOR Page n. 9 of 10

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

**PSG: Passengers** 

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Print date